

Section 1: Identification

1.1 Product Identifier

Product Name: Lonseal #650 Two-Component, Solvent-Free Epoxy Adhesive, Part A
Product Code(s): ZAD650.5, ZAD6501

1.2 Relevant Identified Uses and Uses Advised Against

Product Use: Sheet vinyl flooring adhesive (see Technical Data Sheet for additional details)
Product Restriction(s): For use with sheet vinyl flooring only (see Technical Data Sheet for additional details)

1.3 Details of the Supplier of the Safety Data Sheet

Manufactured For: Lonseal, Inc.
Address: 928 E. 238th Street
Carson, CA 90745
(310) 830-7111

24 Hour Emergency Phone Number: INFOTRAC – (800) 535-5053

Section 2: Hazard(s) Identification

2.1 Classification of the Substance or Mixture

Skin Corrosion/Irritation , Category 2:	H315	Causes skin irritation.
Serious Eye Damage/Irritation , Category 2A:	H319	Causes serious eye irritation.
Skin Sensitizer , Category 1B:	H317	May cause an allergic skin reaction.
Toxic to Reproduction , Category 2:	H361	Suspected of damaging fertility or the unborn child.
Aquatic, Chronic , Category 2:	H411	Toxic to aquatic life with long lasting effects.

2.2 Label Elements



Signal Word: WARNING

Hazard Statement(s):

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust or mist.
P264	Wash skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing, eye protection, and face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see supplementary instructions on this label).
P333+P313	If skin irritation or rash occurs: Get Medical advice/attention.
P337+P313	If eye irritation persists: Get Medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Storage Statement(s)

P405	Store locked up.
------	------------------

Disposal Statement(s)

P501	Dispose of contents/container in accordance with applicable regulations.
------	--

2.3 Other Hazards

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard).

Section 3: Composition/Information on Ingredients

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

Ingredient/Chemical Name	CAS Number	Weight %	Classification*
Bisphenol A epoxy resin	0025085-99-8	10 – 25	Skin Irrit. 2: H315 Skin Sens. 1B: H317 Eye Irrit. 2A: H319 Aquatic Chronic 2: H411
Alkyl epoxy resin	0068609-97-2	5 – 10	Skin Irrit. 2: H315 Skin Sens. 1: H317
Dipropylene glycol dibenzoate	0027138-31-4	2.5 – 5	Aquatic Chronic 3: H412
Nonylphenol	0025154-52-3	0.1 – 1	Acute Tox. 4: H302 Skin Corr. 1B: H314 Repr. 2: H361 Aquatic Acute 1: H400 Aquatic Chronic 1: H410
Silica sand	0014808-60-7	0.49 – 1	Carc. 1A: H350 STOT RE 1: H372

* The full text of the GHS Hazard Statement(s) may be found in Section 16.

Section 4: First-Aid Measures

4.1 Description of necessary first-aid measures

Eyes: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.
Ingestion: Do not induce vomiting, get medical attention showing the SDS and the hazard label.
Inhalation: Remove casualty to fresh air and keep warm and at rest.
Skin: Immediately take off all contaminated clothing. Obtain medical attention if skin related symptoms persist. Remove contaminated clothing immediately and dispose of safely. After contact with skin, wash immediately with soap and plenty of water.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Eye irritation, eye damages, skin irritation, and erythema

4.3 Indication of Immediate Medical Attention and Special Treatment Needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Section 5: Fire-Fighting Measures

5.1 Suitable Extinguishing Media

Water and carbon dioxide (CO₂)

Unsuitable Extinguishing Media: None in particular

5.2 Specific Hazards Arising from the Substance or Mixture

Do not inhale explosion and combustion gases. Burning produces heavy smoke.

Hazardous Combustion Products: n/a

Explosive Properties: n/a

Oxidizing Properties: n/a

5.3 Special Protective Actions for Fire-Fighters

Use suitable breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

Section 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Wear personal protection equipment. Remove persons to safety. See protective measures under Section 7 and 8.

6.2 Environmental Precautions

Not noted by mfg.

6.3 Methods and Materials for Containment and Cleaning Up

Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.

Section 7: Handling and Storage

7.1 Precautions for Safe Handling

Avoid contact with skin and eyes, inhalation of vapors and mist. Exercise the greatest care when handling or opening container. Do not use empty container before they have been cleaned. Before making transfer operations, assure that there are not any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also Section 8 for recommended protective equipment.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage Temperature: n/a
Incompatible Materials: None in particular.
Instructions as Regards Storage Premises: Adequately ventilated premises.

Section 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Ingredient/Chemical Name	CAS Number	Source	Value (Long Term)	Behavior	Note
Silica sand	0014808-60-7	ACGIH	0.025 mg/m ³	Not noted	A2 – Suspected Human Carcinogen; lung cancer; pulmonary fibrosis

8.2 Appropriate Engineering Controls

n/a

8.3 Appropriate Protection Measures, Including Personal Protective Equipment

Eye Protection: Use close fitting safety goggles. Do not use eye lenses.
Respiratory Protection: n/a
Skin Protection: Use clothing that provides comprehensive protection to the skin (e.g. cotton, rubber, PVC, or Viton).
Use protective gloves that provide comprehensive protection (e.g. PVC, neoprene, or rubber).

Section 9: Physical and Chemical Properties

Appearance: Liquid paste
Odor: n/a
Odor Threshold: n/a
pH: n/a
Melting Point/Freezing Point: n/a
Initial Boiling Point and Boiling Range: n/a
Flash Point: >201 °F (94 °C)
Evaporation Rate: Slower than ether
Flammability (Solid, Gas): Not noted by mfg.
Upper/Lower Flammability or Explosive Limits: n/a
Vapor Pressure: n/a
Vapor Density: > 1
Relative Density: 1.50 g/cm³
Solubility in Water: Insoluble
Partition Coefficient (n-octanol/water): n/a
Auto-Ignition Temperature: n/a
Decomposition Temperature: n/a
Viscosity: n/a
Solubility in Oil: n/a
Explosive Properties: n/a
Oxidizing Properties: n/a
Substance Groups Relevant Properties: n/a
Miscibility: n/a
Fat Solubility: n/a
Conductivity: n/a

Section 10: Stability and Reactivity

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Data not available.

10.3 Possibility of Hazardous Reactions

None.

10.4 Conditions to Avoid

Stable under normal conditions.

10.5 Incompatible Materials

None in particular.

10.6 Hazardous Decomposition Products

None.

Section 11: Toxicological Information

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Ingredient/Chemical Name	CAS Number	Oral LD50, Rat, mg/kg (acute toxicity)	Skin LD50, Rabbit, mg/kg (acute toxicity)
Nonylphenol	0025154-52-3	580	2,031
Silica sand	0014808-60-7	500	Not listed

If not differently specified, the information required in the regulation and listed below must be considered as n/a: Acute toxicity, skin corrosion/irritation, serious eye damage/irritation, respiratory or skin sensitization, germ cell mutagenicity, carcinogenicity, reproductive toxicity, STOT-single exposure, STOT-repeated exposure, and aspiration hazard.

Substance(s) listed on the IARC Monographs: Silica sand, Group 1
 Substance(s) listed as OSHA Carcinogen(s): Silica sand
 Substance(s) listed as NIOSH Carcinogen(s): Silica sand
 Substance(s) listed on the NTP Report on Carcinogen(s): Silica sand

Section 12: Ecological Information

12.1 Toxicity

Adopt good working practices, so that the product is not released into the environment.

List of components with Eco-Toxicological Properties (Aquatic Acute Toxicity)

Ingredient/Chemical Name	CAS Number	LC50 fish, mg/L	48 hr. EC50 crustacea, mg/L	96 hr. EC50 algae, mg/L	72 hr. EC50 algae, mg/L
Nonylphenol	0025154-52-3	135: Pimephales promelas (96 hr.)	14: Daphnia magna (IUCLID)	41: Pseudo- kirchneriella subcapitata (IUCLID)	13: Desmo- desmus subspicatus (IUCLID)
Silica sand	0014808-60-7	10,000: Carp (72 hr.)	Not listed	Not listed	Not listed

12.2 Persistence and Degradability

n/a

12.3 Bioaccumulative Potential

n/a

12.4 Mobility in Soil

n/a

12.5 Other Adverse Effects

n/a

Section 13: Disposal Considerations

13.1 Disposal Methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

Section 14: Transport Information

	DOT/ADR	IMO/IMDG	ICAO/IATA
UN Number	UN3082	UN3082	UN3082
UN Proper Shipping Name	Environmentally hazardous substance, Liquid, n.o.s. (Bisphenol A epoxy resin; Nonylphenol)	Environmentally hazardous substance, Liquid, n.o.s. (Bisphenol A epoxy resin; Nonylphenol)	Environmentally hazardous substance, Liquid, n.o.s. (Bisphenol A epoxy resin; Nonylphenol)
Transport Hazard Class(es)	9	9	9
Packing Group	III	III	III

Environmental Hazards:

Marine Pollutant: Yes
 Environmental Pollutant: No

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: n/a

#650 TWO-COMPONENT,
SOLVENT-FREE EPOXY ADHESIVE
PART A

SAFETY
DATA
SHEET

Special Precautions for User:

DOT:

Special Provisions: 8, 146, 173, 335, IB3, T4, TP1
Labels: 9
Symbol: n/a
Cargo Aircraft: n/a
Passenger Aircraft: n/a
Bulk: n/a
Non-Bulk: n/a

ADR-RID:

Exempt: No
Label: 9
Hazard Identification Number: 90
Tunnel Restriction Code: 3 (E)

IATA:

Passenger Aircraft: 964
Cargo Aircraft: 964
Label: 9
Subrisk: -
ERG: 9L
Special Provisions: A97, A158

IMDG:

Stowage Code: Category A
Stowage Note: -
Subrisk: -
Special Provisions: 274, 335
Page: n/a
Label: 9
EmS: F-A, S-F
MFAG: n/a

Section 15: Regulatory Information

Toxic Substance Control Act (TSCA): All components are listed on the TSCA Inventory.

Listed Substance(s)	Section
Bisphenol A epoxy resin	8b
Alkyl epoxy resin	8b
Dipropylene glycol dibenzoate	8b
Nonylphenol	8b, 8a – PAIR
Silica sand	8b

Superfund Amendments and Reauthorization Act (SARA)

Section 302 – Extremely Hazardous Substances: No substances listed.

Section 304 – Hazardous Substances: No substances listed.

Section 313 – Toxic Chemical List: No substances listed.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

Listed Substance(s): No substances listed.

Clean Air Act (CAA)

Listed Substance(s)	Section
Nonylphenol	112(b) – HON

Clean Water Act (CWA)

Listed Substance(s): No substances listed.

USA – State Regulations

California Proposition 65: Silica sand (Carcinogen)

Massachusetts RTK: Nonylphenol, Silica sand

New Jersey RTK: Silica sand

Pennsylvania RTK: Nonylphenol, Silica sand

Canada – Federal Regulations

Domestic Substances List (DSL): All the substances are listed in the DSL.

Non-Domestic Substances List (NDSL): No substances listed.

National Pollutant Release Inventory (NPRI): No substances listed.

Section 16: Other Information

Additional Classification Information:

HMIS Health: 1 = Slight
HMIS Health – Is health hazard chronic?: Yes
HMIS Flammability: 1 = Combustible if heated
HMIS Reactivity: 0 = Minimal
HMIS PPE: B = Safety glasses, gloves

NFPA Health: 1 = Slight
NFPA Flammability: 1 = Combustible if heated
NFPA Reactivity: 0 = Minimal
NFPA Special Risk: n/a

Full Text of GHS Hazard Statements from Section 3:

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.

#650 TWO-COMPONENT,
SOLVENT-FREE EPOXY ADHESIVE
PART A

SAFETY
DATA
SHEET

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H350	May cause cancer if inhaled.
H361	Suspected of damaging fertility or the unborn child if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

DISCLAIMER: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. This information relates only to the product designated herein, and does not relate to its use in combination with other materials or in any other process. The manufacturer makes no representations and assumes no liability for any direct, incidental, or consequential damages resulting from its use. The information herein is presented in good faith and based upon data from manufacturers and/or technical sources, and is believed to be accurate as of the revision date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State, or provincial and local laws. Conditions of use are beyond our control and therefore users are responsible to verify this data under their own conditions to determine suitability for their purpose. Users of this product must comply with all applicable health and safety laws, regulations, and orders. Users of this product assume all risks of use, handling, and disposal, or from use of the information contained within this document.

General Statements:

Keep out of the reach of children.
For professional or industrial use only.
If you cannot read, or do not understand all directions, cautions, and warnings for this product, DO NOT use.

Abbreviations (may not actually appear within document):

ACGIH	American Conference of Governmental Industrial Hygienists
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
bw	Body Weight
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service
CFR	Code of Federal Regulations
CMR	Carcinogenicity, Mutagenicity, and Toxicity for Reproduction
CNS	Central Nervous System
cSt	centistokes
d	Day(s)
Dam.	Damage
DIN	German Institute for Standardization
DNEL	Derived No Effect Level
DSL	Domestic Substances List
DOT	Department of Transportation
EC	European Commission
EC50	Effective Concentration, for 50% of Test Population
EmS	Emergency Schedule Information
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-Know Act
ErC50	Effective Concentration, for 50% of Test Population
ERG	Emergency Response Guidebook
g	grams
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
hr.	hour(s)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
IOELV	Indicative Occupational Exposure Limit Values
Irrit.	Irritation
L	liter(s)
lbs.	pounds
LC50	Lethal Concentration, for 50% of Test Population
LD50	Lethal Dose, for 50% of Test Population
Liq.	Liquid
m	meter(s)
MFAG	Medical First Aid Guide for Use in Accidents Involving Dangerous Goods
mfg.	Manufacturer
mg	milligram(s)
mL	milliliter
n/a	Not Applicable
n.o.s.	not otherwise specified
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NOEC	No Observed Effect Concentration
NTP	National Toxicology Program
OEL	Occupational Exposure Limits
OSHA	Occupational Safety and Health Administration
Pa	Pascal
PBT	Persistent Bioaccumulative and Toxic
PEL	Permissible Exposure Limit
PNEC	Predicted No Effect Concentration
PPE	Personal Protective Equipment
ppm	Parts Per Million
Repr.	Reproductive Toxicity

**#650 TWO-COMPONENT,
SOLVENT-FREE EPOXY ADHESIVE
PART A**

**SAFETY
DATA
SHEET**

Respir.	Respiratory Tract Irritation
RID	Regulation Concerning the International Transport of Dangerous Goods by Rail
RQ	Reportable Quantities
RTK	Right-to-Know
SDS	Safety Data Sheet
Sens.	Sensitization
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
STOT RE	Specific Target Organ Toxicity, Repeat Exposure
STOT SE	Specific Target Organ Toxicity, Single Exposure
TCC	Tag Closed Cup
THF	Tetrahydrofuran
TLV	Threshold Limit Value
Tox.	Toxicity
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
vPvB	very Persistent and very Bioaccumulative
WEL	Workplace Exposure Limit
WHMIS	Workplace Hazardous Materials Information System

Revision History:

6.1.2015	Initial SDS Release. SDS provided by mfg. was incorporated into Lonseal's letterhead/layout. Items contained within Section 16, from "DISCLAIMER" and below, are exclusive to Lonseal's version of the SDS.
9.15.2015	SDS updated to match the most recently supplied manufacturer's revision, and added a new product code. Sections revised: 1.1, 2.1, 2.2, 2.3, 3, 4.1, 4.2, 5.2, 6.1, 7.1, 11, 12.1, 15, and 16.
9.6.2016	SDS updated to match the most recently supplied manufacturer's revision. Sections revised: 1, 2, 3, 4.1, 5.1, 8, 9, 11, 12.1, 14, 15, and 16.

Section 1: Identification

1.1 Product Identifier

Product Name: Lonseal #650 Two-Component, Solvent-Free Epoxy Adhesive, Part B
Product Code(s): ZAD650.5, ZAD6501

1.2 Relevant Identified Uses and Uses Advised Against

Product Use: Sheet vinyl flooring adhesive (see Technical Data Sheet for additional details)
Product Restriction(s): For use with sheet vinyl flooring only (see Technical Data Sheet for additional details)

1.3 Details of the Supplier of the Safety Data Sheet

Manufactured For: Lonseal, Inc.
Address: 928 E. 238th Street
Carson, CA 90745
(310) 830-7111

24 Hour Emergency Phone Number: INFOTRAC – (800) 535-5053

Section 2: Hazard(s) Identification

2.1 Classification of the Substance or Mixture

Acute Toxicity , Category 2:	H330	Fatal if inhaled.
Skin Corrosion/Irritation , Category 1B:	H314	Causes severe skin burns and eye damage.
Serious Eye Damage/Irritation , Category 1:	H318	Causes serious eye damage.
Skin Sensitizer , Category 1B:	H317	May cause an allergic skin reaction.
Toxic to Reproduction , Category 2:	H361	Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity, Single Exposure , Category 3:	H335	May cause respiratory irritation.
Aquatic, Chronic , Category 3:	H412	Harmful to aquatic life with long lasting effects.

2.2 Label Elements



Signal Word: DANGER

Hazard Statement(s):

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statement(s):

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist/vapors/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing, eye protection, and face protection.
P284	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see supplementary instructions on this label).
P333+P313	If skin irritation or rash occurs: Get Medical advice/attention.
P337+P313	If eye irritation persists: Get Medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Storage Statement(s)

P405 Store locked up.

Disposal Statement(s)

P501 Dispose of contents/container in accordance with applicable regulations.

2.3 Other Hazards

None noted by the manufacturer.

Section 3: Composition/Information on Ingredients

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

Ingredient/Chemical Name	CAS Number	Weight %	Classification*
1,3-Bis(3-(dimethylamino)propyl)urea	0052338-87-1	25 – 50	Skin Irrit. 2: H315 Eye Irrit. 2A: H319
Diethylene triamine	0000111-40-0	25 – 50	Acute Tox. 4: H302 Acute Tox. 2: H303 Acute Tox. 4: H312 Skin Corr. 1B: H314 Eye Dam. 1: H318 Skin Sens. 1B: H317 Repr. 2: H361 STOT SE 3: H335 Aquatic Chronic 3: H412
Bisphenol A	0000080-05-7	10 – 25	Eye Dam. 1: H318 Skin Sens. 1: H317 Repr. 2: H361 STOT SE 3: H335
Diethylenetriamine reaction product with bisphenol A and epichlorohydrin polymer	0068610-56-0	10 – 25	Skin Irrit. 2: H315 Eye Irrit. 2A: H319

*The full text of the GHS Hazard Statement(s) may be found in Section 16.

Section 4: First-Aid Measures

4.1 Description of necessary first-aid measures

- Eyes:** After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.
- Ingestion:** Do not induce vomiting; get medical attention showing the SDS and the hazard label.
- Inhalation:** If breathing is irregular or stopped, administer artificial respiration. In case of inhalation, consult a doctor immediately and show him/her packing or label.
- Skin:** Immediately take off all contaminated clothing. Obtain medical attention if skin related symptoms persist. Remove contaminated clothing immediately and dispose of safely. After contact with skin, wash immediately with soap and plenty of water.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Eye irritation, eye damages, skin irritation, and erythema

4.3 Indication of Immediate Medical Attention and Special Treatment Needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Section 5: Fire-Fighting Measures

5.1 Suitable Extinguishing Media

Water and carbon dioxide (CO₂)

Unsuitable Extinguishing Media: None in particular

5.2 Specific Hazards Arising from the Substance or Mixture

Do not inhale explosion and combustion gases. Burning produces heavy smoke.

Hazardous Combustion Products: n/a
Explosive Properties: n/a
Oxidizing Properties: n/a

5.3 Special Protective Actions for Fire-Fighters

Use suitable breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

Section 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Wear personal protection equipment. Wear breathing apparatus if exposed to vapors/dusts/aerosols. Provide adequate ventilation. Use appropriate respiratory protection. See protective measures under Section 7 and 8.

6.2 Environmental Precautions

Not noted by mfg.

6.3 Methods and Materials for Containment and Cleaning Up

Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.

Section 7: Handling and Storage

7.1 Precautions for Safe Handling

Avoid contact with skin and eyes, inhalation of vapors and mist. Exercise the greatest care when handling or opening container. Do not use on extensive surface areas in premises where there are occupants. Use localized ventilation system. Do not use empty container before they have been cleaned. Before making transfer operations, assure that there are not any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also Section 8 for recommended protective equipment.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage Temperature: n/a
Incompatible Materials: None in particular.
Instructions as Regards Storage Premises: Cool and adequately ventilated. Always keep in a well ventilated space.

Section 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Ingredient/Chemical Name	CAS Number	Source	Value (Long Term)	Behavior	Note
Diethylene triamine	0000111-40-0	ACGIH	1 ppm	Not noted	Skin – potential significant contribution to overall exposure by the cutaneous route; eye and upper respiratory tract irritation
Bisphenol A	0000080-05-7	EU	10 mg/m ³	Indicative	None noted

8.2 Appropriate Engineering Controls

n/a

8.3 Appropriate Protection Measures, Including Personal Protective Equipment

Eye Protection: Use close fitting safety goggles. Do not use eye lenses.
Respiratory Protection: Use adequate protective respiratory equipment.
Skin Protection: Use clothing that provides comprehensive protection to the skin (e.g. cotton, rubber, PVC, or Viton). Use protective gloves that provide comprehensive protection (e.g. PVC, neoprene, or rubber).

Section 9: Physical and Chemical Properties

Appearance: Liquid
Odor: like Amines
Odor Threshold: n/a
pH: n/a
Melting Point/Freezing Point: n/a
Initial Boiling Point and Boiling Range: n/a
Flash Point: >212 °F (100 °C)
Evaporation Rate: n/a
Flammability (Solid, Gas): Not noted by mfg.
Upper/Lower Flammability or Explosive Limits: n/a
Vapor Pressure: n/a
Vapor Density: n/a
Relative Density: 0.98 g/cm³
Solubility in Water: No data available
Partition Coefficient (n-octanol/water): n/a
Auto-Ignition Temperature: n/a
Decomposition Temperature: n/a
Viscosity: n/a
Solubility in Oil: n/a
Explosive Properties: n/a
Oxidizing Properties: n/a
Substance Groups Relevant Properties: n/a
Miscibility: n/a
Fat Solubility: n/a
Conductivity: n/a

Section 10: Stability and Reactivity

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Data not available.

10.3 Possibility of Hazardous Reactions

None.

10.4 Conditions to Avoid

Stable under normal conditions.

10.5 Incompatible Materials

None in particular.

10.6 Hazardous Decomposition Products

None.

Section 11: Toxicological Information

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Ingredient/Chemical Name	CAS Number	Oral LD50, Rat, mg/kg (acute toxicity)	Skin LD50, Rabbit, (acute toxicity)
Diethylene triamine	0000111-40-0	819	672 mg/kg
Bisphenol A	0000080-05-7	3200	3000 mg/kg; 3 mL/kg

If not differently specified, the information required in the regulation and listed below must be considered as n/a: Acute toxicity, skin corrosion/irritation, serious eye damage/irritation, respiratory or skin sensitization, germ cell mutagenicity, carcinogenicity, reproductive toxicity, STOT-single exposure, STOT-repeated exposure, and aspiration hazard.

Substance(s) listed on the IARC Monographs: None
 Substance(s) listed as OSHA Carcinogen(s): None
 Substance(s) listed as NIOSH Carcinogen(s): None
 Substance(s) listed on the NTP Report on Carcinogen(s): None

Section 12: Ecological Information

12.1 Toxicity

Adopt good working practices, so that the product is not released into the environment.

List of components with Eco-Toxicological Properties (Aquatic Acute Toxicity)

Ingredient/Chemical Name	CAS Number	96 hr. LC50 fish, mg/L	EC50 crustacea, mg/L	96 hr. EC50 algae, mg/L	72 hr. EC50 algae, mg/L
Diethylene triamine	0000111-40-0	248: Poecilia reticulata (IUCLID); 430: Leuciscus idus	16: Daphnia magna (48 hr. – IUCLID); 37: Daphnia magna (24 hr.); 16: Daphnia magna (48 hr.)	345.6: Pseudo-kirchneriella subcapitata (EPA); 592: Desmodesmus subspicatus (IUCLID)	1164: Pseudo-kirchneriella subcapitata (IUCLID)
Bisphenol A	0000080-05-7	3.6: Pimphelas promelas (EPA); 4: Oncorhynchus mykiss (IUCLID); 9.9: Brachydanio rerio (IUCLID)	10.2: Daphnia magna (48 hr. – IUCLID); 3.9: Daphnia magna (48 hr.)	2.5: Pseudo-kirchneriella subcapitata (IUCLID)	Not listed

12.2 Persistence and Degradability

n/a

12.3 Bioaccumulative Potential

n/a

12.4 Mobility in Soil

n/a

12.5 Other Adverse Effects

n/a

Section 13: Disposal Considerations

13.1 Disposal Methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

Section 14: Transport Information

	DOT/ADR	IMO/IMDG	ICAO/IATA
UN Number	UN2079	UN2079	UN2079
UN Proper Shipping Name	Diethylenetriamine	Diethylenetriamine	Diethylenetriamine
Transport Hazard Class(es)	8	8	8
Packing Group	II	II	II

Environmental Hazards:

#650 TWO-COMPONENT,
SOLVENT-FREE EPOXY ADHESIVE
PART B

SAFETY
DATA
SHEET

Marine Pollutant: No
Environmental Pollutant: n/a

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: n/a

Special Precautions for User:

DOT:

Special Provisions:	B2, IB2, T7, TP2
Labels:	8
Symbol:	n/a
Cargo Aircraft:	n/a
Passenger Aircraft:	n/a
Bulk:	n/a
Non-Bulk:	n/a

ADR-RID:

Exempt:	Not noted by mfg.
Label:	8
Hazard Identification Number:	80
Tunnel Restriction Code:	2 (E)

IATA:

Passenger Aircraft:	851
Cargo Aircraft:	855
Label:	8
Subrisk:	-
ERG:	8L
Special Provisions:	-

IMDG:

Stowage Code:	Category A
Stowage Note:	Clear of living quarters. "Separated from" acids.
Subrisk:	-
Special Provisions:	-
Page:	n/a
Label:	n/a
EmS:	F-A, S-B
MFAG:	n/a

Section 15: Regulatory Information

Toxic Substance Control Act (TSCA): All components are listed on the TSCA Inventory.

Listed Substance(s)	Section
1,3-Bis(3-(dimethylamino)propyl)urea	8b
Diethylene triamine	8b
Bisphenol A	8b
Diethylenetriamine reaction product with bisphenol A and epichlorohydrin polymer	8b

Superfund Amendments and Reauthorization Act (SARA)

Section 302 – Extremely Hazardous Substances: No substances listed.

Section 304 – Hazardous Substances: No substances listed.

Section 313 – Toxic Chemical List: Bisphenol A

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

Listed Substance(s): No substances listed.

Clean Air Act (CAA)

Listed Substance(s)	Section
Bisphenol A	112(b) – HON

Clean Water Act (CWA)

Listed Substance(s): No substances listed.

USA – State Regulations

California Proposition 65: No substances listed.

Massachusetts RTK: Diethylene triamine , Bisphenol A

New Jersey RTK: Diethylene triamine , Bisphenol A

Pennsylvania RTK: Diethylene triamine , Bisphenol A

Canada – Federal Regulations

Domestic Substances List (DSL): All the substances are listed in the DSL.

Non-Domestic Substances List (NDSL): No substances listed.

National Pollutant Release Inventory (NPRI): No substances listed.

Section 16: Other Information

Additional Classification Information:

HMIS Health:	3 = Chronic
HMIS Health – Is health hazard chronic?:	Yes
HMIS Flammability:	1 = Combustible if heated
HMIS Reactivity:	1 = Slight
HMIS PPE:	C = Safety glasses, gloves, chemical apron

NFPA Health:	3 = Serious
NFPA Flammability:	1 = Combustible if heated
NFPA Reactivity:	1 = Slight
NFPA Special Risk:	n/a

#650 TWO-COMPONENT,
SOLVENT-FREE EPOXY ADHESIVE
PART B

SAFETY
DATA
SHEET

Full Text of GHS Hazard Statements from Section 3:	
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H412	Harmful to aquatic life with long lasting effects.

DISCLAIMER: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. This information relates only to the product designated herein, and does not relate to its use in combination with other materials or in any other process. The manufacturer makes no representations and assumes no liability for any direct, incidental, or consequential damages resulting from its use. The information herein is presented in good faith and based upon data from manufacturers and/or technical sources, and is believed to be accurate as of the revision date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State, or provincial and local laws. Conditions of use are beyond our control and therefore users are responsible to verify this data under their own conditions to determine suitability for their purpose. Users of this product must comply with all applicable health and safety laws, regulations, and orders. Users of this product assume all risks of use, handling, and disposal, or from use of the information contained within this document.

General Statements:

Keep out of the reach of children.
For professional or industrial use only.
If you cannot read, or do not understand all directions, cautions, and warnings for this product, DO NOT use.

Abbreviations (may not actually appear within document):

ACGIH	American Conference of Governmental Industrial Hygienists
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
bw	Body Weight
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service
CFR	Code of Federal Regulations
CMR	Carcinogenicity, Mutagenicity, and Toxicity for Reproduction
CNS	Central Nervous System
cSt	centistokes
d	Day(s)
Dam.	Damage
DIN	German Institute for Standardization
DNEL	Derived No Effect Level
DSL	Domestic Substances List
DOT	Department of Transportation
EC	European Commission
EC50	Effective Concentration, for 50% of Test Population
EmS	Emergency Schedule Information
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-Know Act
ErC50	Effective Concentration, for 50% of Test Population
ERG	Emergency Response Guidebook
g	grams
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
hr.	hour(s)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
IOELV	Indicative Occupational Exposure Limit Values
Irrit.	Irritation
L	liter(s)
lbs.	pounds
LC50	Lethal Concentration, for 50% of Test Population
LD50	Lethal Dose, for 50% of Test Population
Liq.	Liquid
m	meter(s)
MFAG	Medical First Aid Guide for Use in Accidents Involving Dangerous Goods
mfg.	Manufacturer
mg	milligram(s)
mL	milliliter
n/a	Not Applicable
n.o.s.	not otherwise specified
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NOEC	No Observed Effect Concentration
NTP	National Toxicology Program
OEL	Occupational Exposure Limits
OSHA	Occupational Safety and Health Administration
Pa	Pascal
PBT	Persistent Bioaccumulative and Toxic
PEL	Permissible Exposure Limit

**#650 TWO-COMPONENT,
SOLVENT-FREE EPOXY ADHESIVE
PART B**

**SAFETY
DATA
SHEET**

PNEC	Predicted No Effect Concentration
PPE	Personal Protective Equipment
ppm	Parts Per Million
Repr.	Reproductive Toxicity
Respir.	Respiratory Tract Irritation
RID	Regulation Concerning the International Transport of Dangerous Goods by Rail
RQ	Reportable Quantities
RTK	Right-to-Know
SDS	Safety Data Sheet
Sens.	Sensitization
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
STOT RE	Specific Target Organ Toxicity, Repeat Exposure
STOT SE	Specific Target Organ Toxicity, Single Exposure
TCC	Tag Closed Cup
THF	Tetrahydrofuran
TLV	Threshold Limit Value
Tox.	Toxicity
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
vPvB	very Persistent and very Bioaccumulative
WEL	Workplace Exposure Limit
WHMIS	Workplace Hazardous Materials Information System

Revision History:

6.1.2015	Initial SDS Release. SDS provided by mfg. was incorporated into Lonseal's letterhead/layout. Items contained within Section 16, from "DISCLAIMER" and below, are exclusive to Lonseal's version of the SDS.
9.15.2015	SDS updated to match the most recently supplied manufacturer's revision, and added a new product code. Sections revised: 1.1, 2.1, 2.2, 2.3, 3, 4.1, 4.2, 5.2, 6.1, 7.1, 11, 12.1, 15, and 16.
9.6.2016	SDS updated to match the most recently supplied manufacturer's revision. Sections revised: 1, 2, 3, 4.1, 5.1, 6.1, 7, 8.1, 9, 11, 12.1, 14, 15, and 16.
9.9.2016	Title block at left incorrectly showing "Part A", changed to "Part B".